


I Pledge Allegiance by Nancy Cann


Overall Size: 64.00 by 82.00 inches




Bolt Number Identification	Fabric Name
39302 - 260	Quartz - Cardinal
39392 - 490	Quartz - Navy
39302 - 120	Quartz - Desert Sand
28375 - 24	Stars - Red - Beige
28375 - 49	Stars - Navy - Beige
DP28369 - 49	Stamps - Navy Multi
28371 - 12	Flags - Beige Multi
28372 - 24	Toile - Red - Beige
28372 - 49	Toile - Navy - Beige
28373 - 12	Words - Beige - Multi
28374 - 12	Map - Beige
DP28367 - 12	Independence Hall - Beige Multi
DP28368 - 24	Founding Fathers - Red Multi
DP28370 - 12	250 Toss - Beige 150DPI
QoVF - 1	Bag - Beige Multi
QoVF - 2	Feature Panel - Beige Multi




DP28365-12



C28376-12




B28371-12



DP28367-12



DP28368-24



DP28369-49




DP28370-12




28371-12




28372-24




28372-49




28373-12



28374-12



28375-24




28375-49




PTN3544




PTN3545



39302-120



39302-260



39302-490

Fabric requirements and cutting:

1776-2026: 1 yard:

Cut 2 - 7 $\frac{1}{2}$ " X wof strips. Sub cut to 6 - 7 $\frac{1}{2}$ " squares. (hourglass)

Cut 2 - 6 $\frac{1}{2}$ " X wof strips. Sub cut to 12 - 6 $\frac{1}{2}$ " squares. (block centers)

White: 3 yards

Cut 2 - 7 $\frac{1}{2}$ " X wof strip. Sub cut to 6 - 7 $\frac{1}{2}$ " squares. (hourglass)

Cut 4 - 6 $\frac{1}{2}$ " X wof strips. Sub cut to 24 - 6 $\frac{1}{2}$ " blocks. (large 9 patch block)

Cut 9 - 3 $\frac{1}{2}$ " X wof strips. Sub cut to 96 - 3 $\frac{1}{2}$ " squares. (four patches)

Cut 7 - 2 $\frac{1}{2}$ " X wof strips (inner border)

Blue Stars: 2 $\frac{1}{2}$ yards

Cut 9 - 3 $\frac{1}{2}$ " X wof strips. Sub cut to 96 - 3 $\frac{1}{2}$ " squares. (four patches)

Cut 8 - 4 $\frac{1}{2}$ " X wof strips (outer border)


Cut 8 - 2 $\frac{1}{2}$ " X wof strips (binding)

Red Stars: $\frac{3}{4}$ yard


Cut 3 - 7 $\frac{1}{2}$ " X wof strip. Sub cut to 12 - 7 $\frac{1}{2}$ " squares. (hourglass)

Four Patch Nine Patch

1. Sew four patches from 3 $\frac{1}{2}$ " blue and white squares provided.
2. Four patch will square to 6 $\frac{1}{2}$ ". Make 48



3. Sew nine patch according to the diagram below, give attention to the directional placement of the four patches in the corner. Block will measure 18 $\frac{1}{2}$ "




Hourglass block (three color) 6" finished


Fabric: to make 48

1776: 6 - 7 1/2" squares Red: 6 - 7 1/2" squares White: 12 - 7 1/2" squares

1. Draw a line across one diagonal of each white square and each 1776 square.
2. Place a white square on top of a red square, right sides together. Sew 1/4" from each side of drawn line.
Place a 1776 square on top of a red square, right sides together. Sew 1/4" from each side of drawn line.
3. Cut on drawn lines.
4. Open hst and press to the red. You have 2 pieces from each square set.
5. Right sides together, place half square triangles on top of each other, white facing red and the second red facing 1776. Draw a line from lower left to upper right dissecting the hst. Sew 1/4" on each side of drawn line.
6. Cut apart on drawn line. Press open to make two hourglass blocks from each set (total of 4). Square to 6 1/2".



Ohio Star Block:




1. Following the diagram above make six Ohio Star blocks using the cut and pieced components.
2. Pay particular attention to the direction of the four patches in the corners.

Putting it all together:

1. Using design wall, set your blocks in "sewing" order. Sew blocks together into rows, then the rows into quilt top.
2. Using the borders instruction sheet, add inner and outer border to your quilt.
3. Quilt as desired

Adding multiple borders to your quilt.

1. Side borders: measure the length of your quilt through the center length, the length of quilt along the left side about 3" in from the edge, and the length of the quilt along the right side about 3" in, as designated by red arrows in left diagram below. Add these three measurements together, divide by 3 and this will be the length to cut your side borders.
2. Mark side center of quilt and center of side borders. Pin left border to quilt at center, top, and bottom. Sew in place. Repeat to add the right border.
3. Top and Bottom borders: measure the width of your quilt across the center, across the top about 3" down from the top, and across the bottom about 3" up from the bottom designated by blue arrows in diagram below left. Add these three measurements together, divide by 3 and this will be the width to cut your top and bottom borders. Mark border strip centers and quilt centers, pin and sew borders into place.



Repeat steps 1 - 3 for each additional border; this will insure a more square quilt top and less ripple in the borders.